

1. / 1994;32:998-1004
2. / 2001;39 1:123
3. Beehner ML. A comparison of hair growth between follicular-unit grafts trimmed "skinny" vs. "chubby". *Dermatol Surg* 1999;25:339-340
4. Bernstein RM, Rassman WR. Follicular transplantation; Patient evaluation and surgical planning. *Dermatol Surg* 1997;23:771-784
5. Bernstein RM, Rassman WR. The aesthetics of follicular transplantation. *Dermatol Surg* 1997;23:785-799
6. Bernstein RM, Rassman WR. The logic of follicular unit transplantation. *Dermatol Clin* 1999;17:277-295
7. Brandy DA. A technique for hair-grafting in between existing follicles in patients with early pattern baldness. *Dermatol Surg* 2000;26:801-805
8. Choi YC, Kim JC. Single hair transplantation using the Choi hair transplanter. *J Dermatol Surg Oncol* 1992;18:945-948
9. Fitzpatrick RE, Marchell NL. Laser hair transplantation II. *Dermatol Surg* 2000;26:419-424
10. Haber RS, Stough DB. Accurate estimation of graft requirements when using multibladed knives. In: Stough DB, Haber RS, editors. *Hair replacement: surgical and medical*. St. Louis: Mosby-Year Book, Inc. 1996:138-142
11. Jimenez F, Ruifernandez JM. Distribution of human hair in follicular units. A mathematical model for estimating the donor size in follicular unit transplantation. *Dermatol Surg* 1999;25:294-298
12. Lee SH, Kim DW, Jun JB, Lee SJ, Kim JC, Kim NH. The changes in hair growth pattern after autologous hair transplantation. *Dermatol Surg* 1999;25:605-609
13. Limmer BL. Minigraft survival. In: Stough DB, Haber RS, editors. *Hair replacement: surgical and medical*. St. Louis: Mosby-Year Book, Inc. 1996:147-149
14. Martin RJ, Mangubat EA. Hair transplantation: a review and technique presentation. *J Oral Maxillofac Surg* 2000;58:654-659
15. Pathomvanich D. Donor harvesting: a new approach to minimize transection of hair follicles. *Dermatol Surg* 2000 ; 26 : 345-348
16. Seager DJ. Micrograft size and subsequent survival. *Dermatol Surg* 1997 ; 23 : 757-762
17. Stough DB, Bondar GL. The Knudsen nomenclature. Standardizing terminology of graft sizes. *Dermatol Surg* 1997 ; 23 : 763-765
18. Stough D, Whitworth JM. Methodology of follicular unit hair transplantation. *Dermatol Clin* 1999 ; 17 : 297-306
19. Unger WP. What's new in hair replacement surgery. *Dermatol Clin* 1996;14:783-802
20. Unger WP. Follicular unit hair transplanting-end of the evolution or a good thing taken too far? *Dermatol Surg* 2000 ; 26 : 158-160
21. Baran R, Maibach HI. *Cosmetic Dermatology*. Baltimore, Philadelphia : Williams and Wilkins 1994 : 117-131
22. Bouillon C. Shampoos Clinics in *Dermatol* 1996 ; 14 : 113-121
23. Zviak C. *The science of hair care* New York and Basel : Marcel Dekker 1986:49-86
24. de Groot AC, van der Walle HB, Weyland JW. Contact allergy to cocamidopropyl betaine. *Contact Dermatitis*. 1995 ; 33 : 419-422
25. Draelos ZD. *Cosmetic in dermatology* 2nd ed. New York, Edinburgh : Churchill Livingstone, 1995 : 115-122
26. Draelos ZD. The biology of hair care. *Dermatol clinics* 2000 ; 18 : 651-658
27. Goldman WJ. Carcinogenicity of coal-tar shampoo. *Lanset* 1995 ; 345(8945) : 326-327
28. Greer DL. Successful treatment of tinea capitis with 2% ketoconazole shampoo. *Int J Dermatol* 2000 ; 39 : 302-304
29. O'Donoghue MN. Hair cosmetics. *Dermatol clinics* 1987 ; 619-626
30. Peter RU, Richarz-Barthauer U. Successful treatment and prophylaxis of scalp seborrheic dermatitis and dandruff with 2% ketoconazole shampoo: results of multiful double-blind, placebo-controlled trial. *Br J Dermatol* 1995 ; 132 : 441-445
31. van Schooten, Frederik-Jan. Carcinogenic consequences of coal-tar shampoo? *Lancet* 1995;345(8965) : 1635-1636
32. Foitzik K, Lindner G, Mueller-Roever S, Maurer M, Botchkareva N, Botchkarev V, Hanjisi B, Metz M, Hibino T, Soma T, Dotto GP, Paus R. Control of murine hair follicle regression (catagen) by TGF-beta1 in vivo. *FASEB J* 2000 ; 14 : 752-760
33. Lindner G, Botchkarev VA, Botchkareva NV, Ling G, van der Veen C, Paus R. Analysis of apoptosis during hair follicle regression (catagen). *Am J Pathol* 1997 ; 151 : 1601-1617
34. Matsuo K, Mori O, Hashimoto T. Apoptosis in murine hair follicles during catagen regression. *Arch Dermatol Res* 1998 ; 290 : 133-136
35. Mueller-Roever S, Rossiter H, Lindner G, Peters EMJ, Kupper TS, Paus R. Hair follicle apoptosis and Bcl-2. *J Invest Dermatol (Sym Proceeding)* 1999 ; 4 : 272-277
36. Muller-Rover S, Rossiter H, Paus R, Handjiski B, Peters EM, Murphy JE, Mecklenburg L, Kupper TS. Overexpression of Bcl-2 protects from ultraviolet B-induced apoptosis but promotes hair follicle regression and chemotherapy-induced alopecia. *Am J Pathol* 2000 ; 156 : 1395-1405
37. Panteleyev AA, Botchkareva NV, Sundberg JP, Christiano AM, Paus

- R. The role of the hairless(hr) gene in the regulation of hair follicle catagen transformation. *Am J Pathol* 1999 ; 155 : 159-171
38. Soma T, Ogo M, Suzuki J, Takahashi T, Hibino T. Analysis of apoptotic cell death in human hair follicles in vivo and in vitro. *J Invest Dermatol* 1998 ; 111 : 948-954
 39. Stenn KS, Lawrence L, Veis D, Korsmeyer, Seiberg M. Expression of the bcl-2 protooncogene in the cycling adult mouse hair follicle. *J Invest Dermatol* 1994 ; 103 : 107-111
 40. Stenn KS, Paus R. Controls of hair follicle cycling. *Physiol Rev* 2001 ; 81 : 449-494
 41. Oro AE and Scott MP. Splitting Hairs. Dissecting roles of signaling systems in epidermal development. *Cell* 1998 ; 95 : 575-578
 43. Raghavan S, Bauer C, Mundschau C, Li Q, Fuchs E. Conditional ablation of β 1 integrin in Skin: severe defects in epidermal proliferation, basement membrane formation, and hair. *J Cell Biol* 2000 ; 150 : 1149-1160
 44. Chan EF, Gat U, McNiff JM, Fuchs E. A common human skin tumour is caused by activating mutations in β -catenin. *Develop* 1999 ; 126 : 3509-3521
 45. Willert K, Nusse R. β -catenin: a key mediator of Wnt signaling. *Curr Opin Gene Develop* 1998 ; 8 : 95-102
 46. Jung H, Francis-West PH, Widelitz RB, Jiang T, Ting-Berretth S, Tickle C, Wolpert L, Chuong C. Local inhibitory action of BMPs and their relationships with activators in feather formation : Implications for periodic patterning. *Develop Biol* 1998 ; 196 : 11-23
 47. Godwin AR, Capecchi MR. Hox13 mutant mice lack external hair. *Gene Develop* 1998 ; 2 : 11-20
 48. McGowan KM, Coulombe PA. Onset of keratin 17 expression coincides with the definition of major epithelial lineages during skin development. *J Cell Biol* 1998 ; 143 : 469-486
 49. DasGupta R, Fuchs E. Multiple roles for activated LEF/TCF transcription complexes during hair follicle development and differentiation. *Develop* 1999 ; 126 : 4557-4568
 50. Miele L, Osboone B. Arbiter of differentiation and death: notch signaling meets apoptosis. *J Cell Phys* 1999 ; 81 : 393-409
 51. Mills AA, Zheng B, Wang X, Vogelk H, Roop DR, Bradley A. P63 is a p53 homologue required for limb and epidermal morphogenesis. *Nature* 1999 ; 398 ; 22
 52. Botchkareva NV, Botchkarev VA, Chen L, Lindner G, Paus R. A role for p75 neurotrophin receptor in the control of hair follicle morphogenesis. *Develop Biol* 1999 ; 216 : 135-153
 53. Jiang T, Liu Y, Widelitz RB, Kundu RK, Maxson RE, and Chuong CM. Epidermal dysplasia and abnormal hair follicles in transgenic mice. Overexpressing homeobox gene MSX-2. *J Invest Dermatol* 1999 ; 113 : 230-237
 54. Panteleyev AA, Paus R, Christiano AM. Patterns of hairless (hr) gene expression in mouse hair follicle morphogenesis and cycling. *Amer J Pathol* 2000 ; 157 : 1071-1079
 55. Schlake, Schorpp M, Maul-Pavicic A, Malaschenko A, Boehm T. Forkhead/winged-helix transcription factor whn regulates hair keratin gene expression. molecular analysis of the nude skin phenotype. *Develop Dynam* 2000 ; 217 : 368-376
 56. Ahmad W, Faiyaz UL, Haque M, Brancolini V. Alopecia universalis associated with a mutation in the human hairless gene. *Science* 1998 ; 279 : 720-724
 57. Sawaya ME, Shapiro J. Alopecia: unapproved treatments or indications. *Clin Dermatol* 2000 ; 18 : 177-186
 58. Sawaya ME, Shapiro J. Androgenetic alopecia. New approved and unapproved treatments. *Dermatol Clin* 2000 ; 18 : 47-61
 60. Tosti A, Camacho-Martinez F, Dawber R. Management of androgenetic alopecia. *J Eur Acad Dermatol Venereol* 1999 ; 12 : 205-214
 61. Price VH. Treatment of hair loss. *N Engl J Med* 1999 ; 341 : 964-973
 62. Sanders DA, Fiddes I, Thompson DM, Philpott MP, Westgate GE, Kealey T. In the absence of streptomycin, minoxidil potentiates the mitogenic effects of fetal calf serum, insulin-like growth factor 1, and platelet-derived growth factor on NIH 3T3 fibroblasts in a K⁺ channel-dependent fashion. *J Invest Dermatol* 1996 ; 107 : 229-234
 63. Sawaya ME. Novel agents for the treatment of alopecia. *Semin Cutan Med Surg* 1998 ; 17 : 276-283
 64. Buhl AE, Conrad SJ, Waldon DJ, Brunden MN. Potassium channel conductance as a control mechanism in hair follicles. *J Invest Dermatol* 1993 ; 101(1 Suppl) : 148S-152S
 65. Buhl AE. Minoxidil's action in hair follicles. *J Invest Dermatol* 1991 ; 96 : 73S-74S
 66. Cotsaleslis G, Sun TT, Lavker RM. Label-retaining cells reside in the bulge area of pilosebaceous unit: implication for follicular stem cells, hair cycle, and skin carcinogenesis. *Cell* 1990 ; 61 : 1329-37
 67. Courtois M, Loussouarn G, Hourseau C, Grollier JF. Ageing and hair cycles. *Br J Dermatol* 1995 ; 132 : 86
 68. Hardy MH. The Secret life of the hair follicle. *Trends Genet* 1992 ; 8 : 55-61
 69. Jahoda CA, Reynolds AJ, Oliver RF. Induction of hair growth in ear wounds by cultured dermal papilla cells. *J Invest Dermatol* 1993 ; 101 : 584-90.
 70. Jahoda CA, Reynolds AJ. Dermal-epidermal interactions. Adultfollicle-derived cell populations and hair growth. *Dermatol*

- Clin. 1996 ; 14 : 573-83.
71. Messenger AG. The control of hair growth: an overview. *J Invest Dermatol.* 1993 ; 101 : 4S-9S.
 72. Messenger AG, Dawber RPR. The physiology and embryology of hair growth. In: RPR Dawber ed. *Disease of the Hair and Scalp.* 3rd ed. Oxford: Blackwell Science, 1997 : 1-22
 73. Paus R, Cotsarelis G. The biology of hair follicles. *N Engl J Med* 1999 ; 341 : 491-497
 74. Sperling LC. Hair anatomy for the clinician. *J Am Acad Dermatol* 1991 ; 25 : 1-17
 75. Wu-Kuo T, Chuong CM. Developmental biology of hair follicle and other skin appendages. In: Camacho FM, Rabdall VA, Price VH eds. *Hair and its disorders.* London: Martin Dunitz, Ltd, 2000 : 17-38
 76. Chase HB : Growth of the hair. *Physiol Rev* 34:113-126, 19542. Cotsarelis G, Sun TT, Lavker RM : Label-retaining cells reside in the bulge area of pilosebaceous unit: Implications for follicular stem cells, hair cycle and skin. *Cell* 61 : 1329-1337, 1990
 78. Ebling FJG : The hormonal control of hair growth. In Orfanos CE, Happle R(eds) : *Hair and Hair Diseases,* Berlin, Springer-Verlag, 1990, pp267-299
 79. Moore GP et al. : Hair growth induction: Roles of growth factors. *Ann NY Acad Sci* 642 : 308-325, 1991
 80. Paus R : Principles of hair cycle control. *J Dermatol* 25 :793-801, 1998
 81. Paus R, Czarnetzka BM: The " bulge-activation hypothesis " does not explain hair follicle cycling but may still be valid. *Am J Dermatopathol* 16 :112-114, 1994
 82. Paus R, Muller-Rover S, Botchkarev VA : Chronobiology of the hair follicle : Hunting the " Hair cycle clock ." *J Invest Dermatol Symp Proc* 4:338-345, 1999
 83. Philpott MP, Green MR, Kealey T : Human hair growth in vitro. *J Cell Sci* 97 : 463-471, 1990
 84. Stenn K, Parimoo S, Prouty S : Growth of the hair follicle : a cycling and regenerating biological system. In : *Molecular Basis of Epithelial Appendage Morphogenesis,* ed. C-M Chuong. Austin, TX : Landes Bioscience, 1998, pp. 111-124
 85. Westgate GE, Messenger AG, Watson LP, Gibson WT : Distribution of proteoglycans during the hair growth cycle in human skin. *J Invest Dermatol* 96 : 191-195, 1991
 86. Mahendroo MS, Russell DW. Male and female isoenzymes of steroid 5 -reductase. *Rev Reprod* 1999 ; 4 : 179-83
 87. Tadokoro T, Itami S, Hosokawa K, Terashi H, Takayasu S. Human genital melanocytes as androgen target cells. *J Invest Dermatol* 1997 ; 109 : 513-7
 88. Haning RV Jr, Tantravahi U, Zhao Q, Hackett RJ, Canick JA. 5-reductase 1 and 2 expression and activity in human ovarian follicles, stroma and corpus luteum as compared to neonatal foreskin. *J Steroid Biochem Mol Biol* 1996 ; 59 : 199-204
 89. Ando Y, Yamaguchi Y, Hamada K, Yoshikawa K, Itami S. Expression of mRNA for androgen receptor, 5-reductase and 17 -hydroxysteroid dehydrogenase in human dermal papilla cells. *Br J Dermatol* 1999 ; 141 : 840-5
 90. Sawaya ME, Price VH. Different levels of 5-reductase type I and II, aromatase, and androgen receptor in hair follicles of women and men with androgenetic alopecia. *J Invest Dermatol.* 1997 ; 109 : 296-300
 91. Hay JB, Hodgins MB. Distribution of androgen metabolizing enzymes in isolated tissues of human forehead and axillary skin. *J Endocrinol* 1978 ; 79 : 29-39
 92. McCellan KJ, Markham A. Finasteride : A review of its use in male pattern hair loss. *Drugs* 1997 ; 57 : 111-126
 93. Complexities of androgen action McPhaul MJ, Young M. *J Am Acad Dermatol,* 2001 Sep ; 45(3 Suppl) : S87-94
 94. A new strategy for modulating chemotherapy-induced alopecia, using PTH/PTHrP receptor agonist and antagonist Peters EM, Foitzik K, Paus R, Ray S, Holick MF *J Invest Dermatol,* 2001 Aug ; 117(2) : 173-8
 95. Conditional epidermal expression of TGF 1 blocks neonatal lethality but causes a reversible hyperplasia and alopecia Liu X, Alexander V, Vijayachandra K, Bhogte E, Diamond I, Glick A. *Proc Natl Acad Sci USA,* 2001 Jul 31 ; 98(16) : 9139-44
 96. Topical application of cyclosporin A induced rapid-remodeling of damaged anagen hair follicles produced in cyclophosphamide administered mice Shirai A, Tsunoda H, Tamaoki T, Kamiya T. *J Dermatol Sci,* 2001 Sep ; 27(1) : 7-13
 97. TrichoScan : combining epiluminescence microscopy with digital image analysis for the measurement of hair growth in vivo Hoffman R. *Eur J Dermatol,* 2001 Jul-Aug ; 11(4) : 362-8
 98. Contrast enhanced phototrichogram (CE-PTG): an improved non-invasive technique for measurement of scalp hair dynamics in androgenic alopecia-validation study with histology after transverse sectioning of scalp biopsies Van Neste DJ. *Eur J Dermatol,* 2001 Jul-Aug;11(4) : 326-31
 99. Genetic factors predispose to balding and non-balding in men Birch MP, Messenger AG. *Eur J Dermatol,* 2001 Jul-Aug;11(4) : 309-14
 100. Androgenic responsive genes as they affect hair growth Sawaya ME, Keane RW, Blume-Peytavi U, Mullins DL, Nusbaum BP, Whiting D,

- Nicholson DW.
Eur J Dermatol, 2001 Jul-Aug ; 11(4) : 304-8
- 101.5 alpha-reductase type 2 is constitutively expressed in the dermal papilla and connective tissue sheath of the hair follicle in vivo but not during culture in vitro Asada Y, Sonoda T, Ojio M, Kurata S, Sato T, Ezaki T, Takayasu S. J Clin Endocrinol Metab, 2001 Jun ; 86(6) : 2785-80
- 111.p53 Involvement in the control of murine hair follicle regression Botchkarev VA, Komarova EA, Siebenhaar F, Botchkareva NV, Sharov AA, Komarov PG, Maurer M, gudkov AV, Gilchrist BA Am J Pathol 2001 Jun ; 158(6) : 1913-9
112. Influence of estrogens on the androgen metabolism in different subunits of human hair follicles Niiyama S, Happle R, Hoffman R. Eur J Dermatol, 2001 May-Jun ; 11(3) : 195-8
113. Metabolic and cellular analysis of alopecia in vitamin D receptor knockout mice Sakai Y, Kishimoto J, Demay MB. J Clin Invest, 2001 Apr ; 107(8) : 961-6
114. Overexpression of Hoxc13 in differentiating keratinocytes results in downregulation of a novel hair keratin gene cluster and alopecia Tkatchenko AV, Visconti RP, Shang L, Papenbrock T, Pruett ND, Ito T, Ogawa M, Awgulewitsch A. Development, 2001 May ; 128(9) : 1547-58
115. Genetic susceptibility and severity of alopecia areata in human and animal models Mc Elwee K, Freyschmidt-Paul P, Ziegler A, Happle R, Hoffmann R. Eur J Dermatol, 2001 Jan-Feb ; 11(1) : 11-6
116. A comparative clinical and histologic study of hair transplantation using Er:YAG, Er:YAG/CO₂, and standard punch techniques Sadick NS, Shea CR, Nicholson J, Gat M, Luniewski S, Prieto VG. Dermatol Surg, 2001 Sep ; 27(9) : 807-12
117. Treatment of alopecia areata in C3H/HeJ mice with the topical immunosuppressant FK506 (Tacrolimus) Freyschmidt-Paul P, Ziegler A, McElwee KJ, Happle R, Kissling S, Sundberg JP, Hoffmann R. Eur J Dermatol, 2001 Sep-Oct ; 11(5) : 405-9
118. The prevalence and types of androgenic alopecia in Korean men and women. Paik JH, Yoon JB, Sim WY, Kim BS, Kim NI. Br J Dermatol, 2001 Jul ; 145(1) : 95-9
- 119.8. Scarring alopecia and the dermatologist Sperling LC. J Cutan Pathol, 2001 Aug ; 28(7) : 333-42
120. High-dose pulse corticosteroid therapy in the treatment of severe alopecia areata Seiter S, Ugurel S, Tilgen W, Reinhold U. Dermatology, 2001 ; 202(3) : 230-4
121. Current and potential agents for the treatment of alopecia areata Freyschmidt-Paul P, Hoffmann R, Levine E, Sundberg JP, Japple R, McElwee KJ. Curr Pharm Des, 2001 Feb ; 7(3) : 213-30
122. Involvement of Follicular Stem Cells in Forming Not Only the Follicle but Also the Epidermis Taylor G, Lehrer MS, Jensen PJ, Sun TT, Lavker RM. Cell, 2000 Aug ; 102 : 451-61
123. Trans-gender induction of hair follicles : Human follicle cells can be induced to grow in an incompatible host of the other sex. Reynolds AJ, Lawrence C, Cserhalmi-Friedman PB, Christiano AM, Jahoda Colin AB. Nature, 1999 Nov ; 402(6757) : 33-4
124. The human hair follicle immune system : cellular composition and immune privilege. Christoph T, Muller-Rover S, Audring H, Tobin DJ, Hermes B, Cotsarelis G, Ruckert R, Paus R. Brit J Dermatol, 2000 May ; 142(5) : 862-73
125. Management of androgenetic alopecia. Tosti A, Camacho-Martinez F, Dawber R. J Eur Acad Dermatol Venereol, 1999 May ; 12(3) : 205-14
126. Novel agents for the treatment of alopecia. Sawaya ME. Semin Cutan Med Surg, 1998 Dec ; 17(4) : 276-83
127. Measuring reversal of hair miniaturization in androgenetic alopecia by follicular counts in horizontal sections of serial scalp biopsies: results of finasteride 1mg treatment of men and postmenopausal women. Whiting DA, Waldstreicher J, Sanchez M, Kaufman KD. J Invest Dermatol Symp Proc, 1999 Dec ; 4(3) : 282-4
128. Hormone studies in females with androgenic hair loss. Schmidt JB, Lindmaier A, Trenz A, Schurz B, Spona J. Gynecol Obstet Invest, 1991 ; 31(4) : 235-9
129. A nationwide outbreak of alopecia associated with the use of a hair-relaxing formulation. Swee W, Klontz KC, Lambert LA. Arch Dermatol, 2000 Sep ; 136(9) : 1104-8
130. Finasteride increases anagen hair in men with androgenetic alopecia. Van Neste D, Fuh V, Sanchez-Pedreno P, Lopez-Bran E, Wolff H, Whiting D, Roberts J, Kopera D, Stene JJ, Calvieri S, Tosti A, Prens E, Guarrera M, Kanojia P, He W, Kaufman KD. Br J Dermatol, 2000 Oct ; 143(4) : 804-10
131. Improvement in androgenetic alopecia in 53-76-year-old men using oral finasteride. Brenner S, Matz H. Int J Dermatol, 1999 Dec ; 38(12) : 928-30
132. Chronic treatment with finasteride daily does not affect spermatogenesis or semen production in young men. Overstreet JW, Fuh VL, Gould J, Howards SS, Lieber MM, Hellstrom W, Shapiro S, Carroll P, Corfman RS, Petrou S, Lewis R, Toth P, Shown T, Roy J, Jarow JP, Bonilla J, Jacobsen CA, Wang DZ, Kaufman KD.
133. Lack of efficacy of finasteride in postmenopausal women with

Index

5-Alpha Reductase	82	Cytostatic action	176	I	
A		D		lamin	193
Acitretin	103	Definition	91	IThymuSkin	194
adrenal virilism	26	Dinitrochlorobenzene(DNCB)	60, 68	J	
Aetiology	91	diphencyprone(DCP)	67, 68	Jarisch Herzheimer	120
AHK-Copper	154	dithranol	67	Juri 22	
AHK-Cu	155	Dopamine B	167	Juri	42
Aminexil	193	DPCP	57	K	
Amino acids	193	Dr. Min ' Method, Chalazion Forceps	272	Kabaker	41
anagen rate	190	E		keratin	307
Androblastoma	26	ElectroTrichoGenesis(ETG)	194	keratogenous zone	65
Anti-Malassezia	107	Elliott	41	Kevis hair rejuvenation program	192
Antibacterial action	176	Epidemiology	91	L	
Antifungal action	176	Etretinate	103	Laser Light Therapy	194
Antisense technology	194	F		Leenen	152
Arnica	194	Fabao 101 D & Formula 101	192	lotion	60
Atrichia congenita	64	Flutamide	192	Lysyl Oxidase	167
Azathioprine	68	folliculo-genesis	5	M	
B		Folligen	193	Macrophage	167
Bazzano	152	Freytag	188	Maidenhair	194
BeauOs lines	66	G		Malassezia	107
Biotin and Folic acid	193	Graftcyte	225	Manders	22
Black Bryony	194	Grave s	64	masculinity	26
Blanchard	22	H		Matrix Metalloproteinase	167
Brauckhoff	188	Hamilton	36	Melbourne	83
C		Harii22		methylprednisolone	67, 69
Cimetidine	192	HLA class I	65	Minoxidil	146
class II corticosteroid solution	60	Horsetail	194	N	
Copper	160	Hunt22		narrow-band	69
Cryotherapy	68	I		Netherton	111
Cyclosporin A	68				
Cyproterone Acetate	82, 192				
Cytochrome C Oxidase	167				

Index

Nioxin system 193
 Norwood Hamilton 45
 Norwood 132

O

Okuda 22
 onychoma desis 66
 onychorrhexis 66
 Orentreich 22

P

Pantogar 191
 Pantogar 190
 Passot 22
 Pathogenesis 91
 peribulbar 65
 Piliel 193
 polyglandular 64
 Polysorbate 80 193
 precortical matrix 65
 prednisolone 67
 Progesterone 192
 psoralens 60
 PUVA 67
 Radovan 22
 RU58841 202

S

Serenoa Repens 192
 Shampoo or Revitalizer Systems 193
 Smart hair care program 193
 spironolactone 82
 Spironolactone(Aldactone) 192
 Standard Photography 83
 Standardised Digital Photography 83
 subgaleal plane 42
 Superoxide Dismutase 167

T

TMA 341
 trachyonychia 66
 Trichogram anagen rate 188
 Trichoscan 124
 Tricologic Biowave Helmet 194
 Tripeptide Copper 160
 Tripeptide-Copper 160

V

Vallis 22
 Vardy 108
 ViviScal 193

W

widow's peak 41
 Wood's 38
 Woolly Hair 116

Z

Z-plasties 43

가

가 178
 가 95
 가 4
 가 120
 가 63, 71
 가 289
 가 294
 가 95
 가 110
 가 337
 가 118, 289
 가 65
 가 325
 가 340
 가 167
 가 8

PUVA

PUVA 70
 PUVA 60
 PUVA 222
 PUVA 57
 PUVA 225
 PUVA 8

가

가 (Nitroxide) 202
 가 324
 가 24
 가 332
 가 98
 가 267
 가 179

가

가 64
 가 176
 가 161
 가 225

Index

	28		189		289
	342		287		57
	98		144		108
	337		144	57, 139, 178, 260	
	67		3		57
	287		4		329
?	287		17, 170		304
	3		307		294
	95		17		107
	23		39	(anti-dandruff)	295
42, 43, 134			195		287
	41		222		331
	304		189		323
	81		11	(hypotrichosis)	110
	29	(sycosis)	98		
(DHT)	131		330		
	313		258	人	
	170		201		60
	41		323		46, 59
			337	-	323
			334		342
人		(minoxidil)	60, 67, 72, 146		72
199			151		27
	60		134	(colour)	295
			212, 222		315
			121		93
					199, 290
	324	人			293
	134				97
	222		59		97
	327		203		97
	47		109		27
	95		8		11, 13
	316		111		176
(Hair follicle)	5		47, 63	(griseofulvin)	38
	222	(Buserelin)	202, 331		291
	8		23		291
	98		289		329
	3		227		163
	3		202		267

Index

	4		71		338
	323		110		96
	323		199	(Tumescent)	222
	38		110		323, 331
	224		96		178
	332		313		105
	40		72		287
	109	(carbuncle)	98		161
	176	(Buffered)	222		
(Spironolactone)	38		331		
(Ciclopirox)	108, 178		46, 58	㉞	
	337		138		327
(Nerve Block)	222		101		121
	307		194, 202		10
	144		58, 62		67
(Cyocitol)	202		38		41
		(lamin Gel)	163		41
			327		72
○		(scaling)	108, 178		
	29		338	㉟	
(acetonide)	59				332
(Zinc)	192, 326	㉡			325
	107	가	304		323
	63	가	63		225
(AGA)	36, 45	가	212		22
	60		60		329
(anthralin)	60		317	(Coagulase)	98
	331		46	(GHK-Cu) 27, 154, 163, 225	
	89		8		327
	332		67		103
	95		46		
	35		134	㉢	
	132		98		107
	289		98		179
((+)staps)	98	(furuncle)	98		161
	42		95		191
	112		316		307
	202		47		195
	57		66		
	75		134		

Index

	21		172
	289	(hexacetonide)	59
	28, 29		35
	316	(erythema)	108, 178
	11, 13		
(transglutaminase)	70		99
	151		99
	120, 190		184
	154		43
	124, 150		161
	57		330
			107
			111
			11, 13
ㄷ			
가	182, 184		
-	133		
	57	2	162
	323		
	212		
(protein)	295		
(propecia)	29, 137		
	89		
	42		
	188		
	197		
	4		
	4		
	225		
	316		
ㅇ			
	102		
	110		
	134		
	294		
	103		
	120		
	23		
	221		

2005 4 13 / 2005 4 16

278-56 5

TEL. 02-336-3477

FAX. 02-336-6762

www.hanmibook.co.kr

k_medical@hanmail.net

가 135,000

I S B N 89-89892-53-8

 **도서
출판 한미의학**
2005 Printed in Korea